

# Risk and Portfolio Management

## Spring 2010

Principal Components Analysis and  
Factors explaining stock returns

# Principal components analysis for equity markets

- Define a universe, or collection of stocks corresponding to the market of interest (e.g. US Equities, Nasdaq-100, Brazilian equities components of S&P 500)
- Collect as much data as possible
- On any given date, perform PCA on the correlation matrix, going back for  $T$  periods (days). The analysis is on a  $T$  by  $N$  matrix
- Estimate the number of significant components
- Analyze the corresponding eigenvectors and eigenportfolios (factors)
- Associate the factors to features of the market (e.g. sectors, market cap, etc)

# Stocks of more than 1BB cap in January 2007

Sector	ETF	Num of Stocks	Market Cap		
			Average	Max	Min
Internet	HHH	22	10,350	104,500	1,047
Real Estate	IYR	87	4,789	47,030	1,059
Transportation	IYT	46	4,575	49,910	1,089
Oil Exploration	OIH	42	7,059	71,660	1,010
Regional Banks	RKH	69	23,080	271,500	1,037
Retail	RTH	60	13,290	198,200	1,022
Semiconductors	SMH	55	7,303	117,300	1,033
Utilities	UTH	75	7,320	41,890	1,049
Energy	XLE	75	17,800	432,200	1,035
Financial	XLF	210	9,960	187,600	1,000
Industrial	XLI	141	10,770	391,400	1,034
Technology	XLK	158	12,750	293,500	1,008
Consumer Staples	XLP	61	17,730	204,500	1,016
Healthcare	XLV	109	14,390	192,500	1,025
Consumer discretionary	XLY	207	8,204	104,500	1,007
<b>Total</b>		<b>1417</b>	<b>11,291</b>	<b>432,200</b>	<b>1,000</b>

January, 2007

# Principal Components Analysis of Correlation Data

Consider a time window  $t=0,1,2,\dots,T$ , (days) a universe of  $N$  stocks. The returns data is represented by a  $T$  by  $N$  matrix  $(R_{it})$

$$\sigma_i^2 = \frac{1}{T} \sum_{t=1}^T (R_{it} - \bar{R}_i)^2, \quad \bar{R}_i = \frac{1}{T} \sum_{t=1}^T R_{it}$$

$$Y_{it} = \frac{R_{it} - \bar{R}_i}{\sigma_i}$$

Standardized  
returns

$$\Gamma_{ij} = \frac{1}{T} \sum_{t=1}^T Y_{it} Y_{jt}$$

Clearly,  $Rank(\Gamma) \leq \min(N, T)$

# Regularized correlation matrix

$$C_{ij} = \frac{1}{T} \sum_{t=1}^T Y_{it} Y_{jt} + \gamma \delta_{ij}, \quad \gamma = 10^{-9}$$

$$\Gamma_{ij}^{reg} = \frac{C_{ij}}{\sqrt{C_{ii} C_{jj}}} = \frac{C_{ij}}{1 + \gamma}$$

This matrix is a correlation matrix and is positive definite. It is equivalent for all practical purposes to the original one but is numerically stable for inversion and eigenvector analysis (e.g. with Matlab).

Note: this is especially useful when  $T \ll N$ .

# Eigenvalues, Eigenvectors and Eigenportfolios

$$\lambda_1 > \lambda_2 \geq \dots \geq \lambda_N > 0$$

eigenvalues

$$\mathbf{V}^{(j)} = (V_1^{(j)}, V_2^{(j)}, \dots, V_N^{(j)}), \quad j = 1, 2, \dots, N.$$

eigenvectors

$$F_{jt} = \sum_{i=1}^N V_i^{(j)} Y_{it} = \sum_{i=1}^N \left( \frac{V_i^{(j)}}{\sigma_i} \right) R_{it}$$

returns of  
"eigenportfolios"

We shall use the coefficients of the eigenvectors and the volatilities of the stocks to build "portfolio weights". These random variables ( $F_j$ ) span same linear space as the original returns.

# Expressing Stock Returns in terms of returns of Eigenportfolios (a bit of linear algebra)

$$\text{Correl}(R_i, R_j) = C_{ij} = \sum_{k=1}^N \lambda_k V_i^{(k)} V_j^{(k)}$$

Define: 
$$F_k \equiv \frac{1}{\sqrt{\lambda_k}} \sum_{i=1}^N \frac{V_i^{(k)}}{\sigma_i} R_i$$

$$\text{Variance}(F_k) = 1, \quad \text{Cov}(F_k, F_l) = \delta_{kl}$$

Set: 
$$\beta_{ik} = \text{Cov}(R_i, F_k) = \frac{1}{\sqrt{\lambda_k}} \sum_{j=1}^N V_j^{(k)} \sigma_i C_{ij}$$


Multiple regression  
coefficients for  
uncorrelated factors.

$$= \frac{1}{\sqrt{\lambda_k}} \sigma_i \lambda_k V_i^{(k)} = \sigma_i \sqrt{\lambda_k} V_i^{(k)}$$

Then


$$R_i = \sum_{k=1}^N \beta_{ik} F_k + \alpha$$

# 50 largest eigenvalues using the 1400 US stocks with cap >1BB cap ( Jan 2007)





# Top 50 eigenvalues for S&P 500 index components, May 1 2007, $T=252$




# Nasdaq-100 Components of NDX/QQQQ

Data: Jan 30, 2007 to Jan 23, 2009

502 dates, 501 periods

99 Stocks (1 removed) MNST (Monster.com), now listed in NYSE



# Bai and Ng 2002, *Econometrica*

## Parsimonious approach for factor selection

$$I(m) = \min_{\alpha, \beta} \frac{1}{NT} \sum_{i=1}^N \sum_{t=1}^T \left( R_{it} - \sum_{k=1}^m \beta_{ik} F_{kt} - \alpha_i \right)^2$$

Least squares  
penalty function

$$m^* = \arg \min_m (I(m) + m \cdot g(N, T))$$

$$\lim_{N, T \rightarrow \infty} g(N, T) = 0, \quad \lim_{N, T \rightarrow \infty} \min(N, T) g(N, T) = \infty$$

Under reasonable assumptions on the underlying model, Bai and Ng prove that under PCA estimation,  $m^*$  converges in probability to the true number of factors as  $N, T \rightarrow \infty$

# Connection with eigenvalues of correlation matrix

$$J(m) \equiv \arg \min_{\alpha, \beta} \frac{1}{NT} \sum_{t=1}^T \sum_{i=1}^N \frac{1}{\sigma_i^2} \left( R_{it} - \sum_{k=1}^m \beta_{ik} F_{kt} - \alpha \right)^2$$

$$J(m) = \sum_{k=m+1}^N \lambda_k \quad \text{also,} \quad I(m) = \sum_{k=m+1}^N \lambda_k \left( \sum_{i=1}^N \sigma_i^2 (V_i^{(k)})^2 \right)$$

$$m^* = \arg \min_m \left( \sum_{k=m+1}^N \lambda_k + mg(N, T) \right) \quad \text{Linear penalty function}$$

For finite samples, we need to adjust the slope  $g(N, T)$ .

Apparently, Bai and Ng (2002) tend to underestimate the number of factors in Nasdaq stocks considerably. (**2 factors**, T=60 monthly returns, N=8000 stocks)

# Useful quantities


$$\frac{1}{N} \sum_{k=1}^m \lambda_k = \text{Explained variance by first } m \text{ eigenvectors}$$

$$\frac{1}{N} \sum_{k=m+1}^N \lambda_k = \text{Tail}$$


$$\frac{1}{N} \sum_{k=m+1}^N \lambda_k + g \frac{m}{N} = \text{Objective Function} = U(m, g)$$

$$\text{Convexity} = \frac{\partial^2 U(m^*(g), g)}{\partial g^2}$$

# Objective function $U(m,g)$



# Optimal value of $U(m,g)$ for different $g$



# Implementation of Bai & Ng on SP500 Data

g	m*	Lambda_m*	Explained Variance	Tail	Objective Fun	Convexity
1	117	0.20%	87.88%	12.12%	0.355	-
2	59	0.39%	71.44%	28.56%	0.522	-0.085085
3	29	0.59%	57.11%	42.89%	0.603	-0.041266
4	16	0.76%	48.51%	51.49%	0.643	-0.018110
5	10	0.96%	43.52%	56.48%	0.665	-0.007000
6	7	1.18%	40.43%	59.57%	0.680	-0.003096
7	6	1.22%	39.25%	60.75%	0.691	-0.004872
8	4	1.56%	36.56%	63.44%	0.698	0.001069
9	4	1.56%	36.56%	63.44%	0.706	0.000000
10	4	1.56%	36.56%	63.44%	0.714	0.000000
11	4	1.56%	36.56%	63.44%	0.722	0.000000
12	4	1.56%	36.56%	63.44%	0.730	0.000000
13	4	1.56%	36.56%	63.44%	0.738	-

If we choose the cutoff  $m^*$  as the one for which the sensitivity to  $g$  is zero, then  $m^* \sim 5$  to 7 seems appropriate.

This would lead to the conclusion that the S&P 500 corresponds to a 5-factor model. The number is small in relation to industry sectors and to the amount of variance explained by industry factors.



# The density of states: a useful formalism for finding significant EVs

Spectral theory as seen by physicists – origins in Quantum Mechanics and High Energy Physics.


$$F(E) \equiv \frac{\#\{k : \lambda_k / N \leq E\}}{N} \quad F(E) \text{ is increasing, } F(1) = 1$$

$$f(E) = \frac{1}{N} \sum_k \delta\left(E - \frac{\lambda_k}{N}\right) \quad \therefore \quad F'(E) = f(E) \quad \text{D.O.S.}$$

One way to think about the DOS is as changing the x-axis for the y-axis, i.e. counting the number of eigenvalues in a neighborhood of any  $E$ ,  $0 < E < 1$ .

Intuition: if  $N$  is large, the eigenvalues of the insignificant portion of the spectrum will “bunch up” into a continuous distribution  $f(E)$ .

# Integrated DOS



In the DOS language...

$$\frac{1}{N} \sum_{k=m+1}^N \lambda_k = \int_0^{\lambda_m} E f(E) dE, \quad \frac{m}{N} = 1 - F(\lambda_m)$$

$$U(E, g) = \int_0^E x f(x) dx + g(1 - F(E))$$

$$\frac{\partial U(E, g)}{\partial E} = E f(E) - g f(E) = (E - g) f(E)$$

If  $f(g) \neq 0$ , then  $E^*(g) = g$ .

## Dependence of the problem on $g$


$$\begin{aligned}V(g) &= U(E^*(g), g) = \int_0^g xf(x)dx + g(1 - F(g)) \\ &= gF(g) - \int_0^g F(x)dx + g - gF(g) \\ &= g - \int_0^g F(x)dx\end{aligned}$$

$$V'(g) = 1 - F(g)$$

$$V''(g) = -f(g)$$


According to this calculation, the best cutoff is the level  $E$  where the DOE vanishes (or nearly vanishes) coming from the left, i.e. from the smallest eigenvalues.

# Density of States (from previous data for Nasdaq 100)



One large mass at 0.44,  
Some masses near 0.025  
Nearly continuous density for lower levels

# Zoom of the DOS for low eigenvalues



"Edge of DOS"

# Random Matrix Theory

$$X_{tn}, \quad t = 1, 2, \dots, T, \quad n = 1, 2, \dots, N$$

$$X \sim N(0, 1)$$

$$W_{mn} = \sum_{t=1}^T X_{tm} X_{tn}, \quad \mathbf{W} = \mathbf{X}^t \mathbf{X}$$

$$\lambda_n, \quad n = 1, 2, \dots, N \quad \text{eigenvalues of } \mathbf{W}$$

What are the statistical properties of the eigenvalues as  $N, T$  tend to infinity?

What are the fluctuations of the eigenvalues for large  $N, T$ ?

# Marcenko-Pastur Theorem (hard)


$$F(E) = \lim_{\substack{N \rightarrow \infty \\ T \rightarrow \infty \\ N/T \rightarrow \gamma}} \frac{\#\{k : \lambda_k / N \leq E\}}{N} \quad \text{integrated DOE}$$

$$f(E) = \frac{dF(E)}{dE}$$

$$f(E) = \frac{1}{2\pi\gamma} \frac{\sqrt{(E_+ - E)(E - E_-)}}{E} \quad E_{\pm} = (1 \pm \sqrt{\gamma})^2$$




# Marcenko Pastur ( $N/T=2$ )



DOS for a random Gaussian ensemble

# Bouchaud, Cizeau, Laloux, Potters (PRL, 1999)

The bulk distribution for spectrum of S&P 500 is described approximately by Marcenko-Pastur properly normalized but there are detached eigenvalues (the significant ones!)




# Results of PCA with DOS analysis for Nasdaq 100

- 4 significant eigenvectors/eigenvalues
- first Eigen-state explains about 44% of the correlation
- total explained variance= 51%
- Now we need to indentify the eigenportfolios in terms of real market factors (industry, size, etc, etc).


# First Eigenvector: Market

## Sorted Eigenvector



CSCO  
INTC  
ORCL  
ADBE  
DTV  
SIAL  
MSFT  
SPLS  
INFY  
PAYX


## Sorted Weights



BBBY  
LLTC  
DELL  
MRVL  
INFY  
ISRG  
CMCSA  
CTXS  
QCOM  
CSCO


# Second Eigenvector: Biotech vs. Chips

Sorted by coefficients V



Top 10	Bottom 10
GENZ	MRVL
CEPH	NVDA
HSIC	FWLT
CELG	BRCM
GILD	SNDK
BIIB	JOYG
XRAY	RIMM
AMLN	BIDU
CTAS	LRCX
ESRX	ALTR


Sorted by weights



Top 10	Bottom 10
GENZ	BRCM
BBBY	FWLT
BIIB	DELL
GILD	FMCN
CEPH	AKAM
CELG	BIDU
ESRX	ALTR
CTAS	FLEX
AMGN	AMAT


# Third Eigenvector: Manufacturing vs. Chips

Sorted by coefficients V



Top 10	Bottom 10
FWLT	KLAC
LEAP	ALTR
JOYG	BBBY
STLD	PETM
TEVA	LRCX
DISCA	AMAT
DISH	LLTC
CEPH	SHLD
ATVI	XLNX
LBTYA	BRCM

Sorted by weights



Top 10	Bottom 10
LEAP	BBBY
FWLT	LLTC
DISCA	SHLD
FMCN	AMAT
NIHD	ALTR
ATVI	PETM
GILD	MRVL
CEPH	LRCX
GOOG	BRCM
JOYG	KLAC

# ``Coherence''

**Definition:** If an eigenvector is such that stocks with a given property (size, industry sector) have entries with the same sign, then the eigenvector is said to be coherent (with respect to the given property).

**Conjecture:** The significant eigenvectors are coherent with respect to either size or sector


# Identification of the Eigenportfolios via ETFs

Identify the Eigenportfolios by making multiple regressions or  
“greedy” regressions on the returns of Exchange Traded Funds


EFA	Europe & Far East
HHH	Internet
IBB	Biotechnology
IYT	Transportation
QQQQ	Nasdaq 100 Index Tracker
RTH	Retail
SMH	Semiconductors
XLB	Materials
XLI	Industrials
XLK	Technology
XLP	Consumer Staples
XLV	Health Care
XLY	Consumer Discretionary



# First Eigenportfolio (NDX)



# Second Eigenportfolio (NDX)



# Third Eigenportfolio (NDX)

